

Page 1/9

Revision: 17.03.2016

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.03.2016

Version number 3

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: IPA/DI

### impregnated cleaning wipes for cleaning stencils

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Cleaning agent/ Cleaner
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Vliesstoff Kasper GmbH

Rönneterring 7-9

D-41069 Mönchengladbach Tel: +49 (0)2161-95195-0 Fax: +49 (0)2161-95195-23

www.vliesstoff.de

eMail: info@vliesstoff.de

· Informing department:

Tel: +49 (0)2161-95195-0 Fax: +49 (0)2161-95195-23

· 1.4 Emergency telephone number:

Tel: +49 (0)2161-95195-0

This number is available during office hours: mo-thur 08:00 - 16:30; fr 08:00 - 15:00

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Sol. 1 H228 Flammable solid.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Printing date 17.03.2016 Version number 3 Revision: 17.03.2016

Trade name: IPA/DI

### impregnated cleaning wipes for cleaning stencils

(Contd. from page 1)

#### · Hazard pictograms





GHS02 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

propan-2-ol

#### · Hazard statements

H228 Flammable solid.

H319 Causes serious eve irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P261 Avoid breathing vapours.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.
P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Impregnated Cleaning wipes.

#### · Dangerous components:

CAS: 67-63-0 propan-2-ol 50-100%

Reg.nr.: 01-2119457558-25-X H336

Additional information For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact The product is not skin irritating.
- · After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

- · After swallowing In case of persistent symptoms consult doctor.
- 4.3 Indication of any immediate medical attention and special treatment needed
   No further relevant information available.

(Contd. on page 3)

Printing date 17.03.2016 Version number 3 Revision: 17.03.2016

Trade name: IPA/DI

impregnated cleaning wipes for cleaning stencils

(Contd. from page 2)

· Information for doctor

# SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents

Extinguishing powder, foam or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- 5.2 Special hazards arising from the substance or mixture

Can be released in case of fire:

Carbon monoxide (CO)

- · 5.3 Advice for firefighters
- · Protective equipment: Wear breathing protection if necessary.
- · Additional information Use water to keep fire exposed containers cool.

### SECTION 6: Accidental release measures

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources

Use breathing protection against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Dilution with water is possible.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

# SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Keep away from heat and direct sunlight.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air). Avoid the formation of inflammable and explosive solvent vapours in the air and prevent the

maximum workplace concentration values from being exceeded. Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers:

Observe special regulations specified in item 15.

Store in cool location.

· Information about storage in one common storage facility:

Keep away from strong oxidizing, alkalis and acidic materials.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

· 7.3 Specific end use(s) No further relevant information available.

GB

Printing date 17.03.2016 Version number 3 Revision: 17.03.2016

Trade name: IPA/DI

impregnated cleaning wipes for cleaning stencils

(Contd. from page 3)

# SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:	
67-63-0 propan-2-ol	
WEL (Great Britain) Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm	

#### · DNELs

67-63-0 propan-2-ol		
Oral	DNEL (consumer, long-term, systemic)	26 mg/kg bw/day (human)
Dermal	DNEL (worker, long-term, systemic)	888 mg/kg bw/day (human)
	DNEL (consumer, long-term, systemic)	319 mg/kg bw/day (human)
Inhalative	DNEL (worker, long-term, systemic)	500 mg/m³ (human)
	DNEL (consumer, long-term, systemic)	89 mg/m³ (human)

#### · PNECs

#### 67-63-0 propan-2-ol

07-03-0 propan-2-01	
PNEC aqua (freshwater)	140.9 mg/L (.)
PNEC aqua (marine water)	140.9 mg/L (.)
PNEC STP	2251 mg/L (.)
PNEC soil	28 mg/kg soil dw (.)
PNEC sediment (freshwater)	552 mg/kg sedim. dw (.)
PNEC sediment (marine water)	552 mg/kg sedim. dw (.)
PNEC aqua (intermittent releases)	140.9 mg/L (.)
PNEC oral	160 mg/kg food (.)

· Additional information: The lists that were valid during the compilation were used as basis.

#### · 8.2 Exposure controls

Personal protective equipment

#### · General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Take off all contaminated clothing immediately.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes.

· Breathing equipment: Not necessary if room is well-ventilated.

#### Protection of hands:

In case of longer or repeated contact with the skin: use protective cream for the skin surfaces coming into contact with the product.

No chemical-protective gloves required.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

# • For the permanent contact gloves made of the following materials are suitable: Nitrile rubber, NBR

(Contd. on page 5)

Printing date 17.03.2016 Version number 3 Revision: 17.03.2016

Trade name: IPA/DI

impregnated cleaning wipes for cleaning stencils

(Contd. from page 4)

- Eye protection: Safety glasses recommended if possibility of liquid splashes exists.
- · Body protection: Protective work clothing.

# SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Solid
Colour: White
Odour: alcohol-like

· Change in condition

*Melting point/Melting range:* Not determined *Boiling point/Boiling range:* Not determined

· Flash point: 13 ℃

· Inflammability (solid, gaseous) Highly flammable.

· Ignition temperature: 425 ℃

· Self-inflammability: Product is not selfigniting.

· Danger of explosion: Product is not explosive. However, formation of explosive air/

steam mixtures is possible.

· Critical values for explosion:

 Lower:
 2.0 Vol %

 Upper:
 12.0 Vol %

Vapour pressure at 20 °C: 43 hPa Density Not determined

· Solubility in / Miscibility with

Water: Partly soluble

• **9.2 Other information** No further relevant information available.

# SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

None in case of intended use and storage in compliance with instructions.

# SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 17.03.2016 Version number 3 Revision: 17.03.2016

Trade name: IPA/DI

### impregnated cleaning wipes for cleaning stencils

(Contd. from page 5)

LD/LC50 values that are relevant for classification:		ı	
67-63-0 pr	opan-	2-ol	ı
Oral	LD50	4570 mg/kg (rat)	ı
Dermal	LD50	13400 mg/kg (rab)	ı
Inhalative	LC50	30 mg/l/4h (rat)	

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Strongly irritant

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

## 67-63-0 propan-2-ol

Oral NOAEL 400 mg/kg bw/day (human)

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause drowsiness or dizziness.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

· 12.1 Toxicity

•	Aq	uatic	toxic	ity:

### 67-63-0 propan-2-ol

EC50 (static) >10000 mg/l/24h (Daphnia magna) (OECD202) LC50 (dynamic) 9640 mg/l/96h (Pimephales promelas) (OECD203)

- 12.2 Persistence and degradability No further relevant information available.
- · Other information: Not established.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

The waste code numbers mentioned are recommendations based on the probable use of the product.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Printing date 17.03.2016 Version number 3 Revision: 17.03.2016

Trade name: IPA/DI

impregnated cleaning wipes for cleaning stencils

	(Contd. from page 6)		
· European waste catalogue			
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED		
15 02 00	absorbents, filter materials, wiping cloths and protective clothing		
15 02 02	absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances		

- · Uncleaned packagings:
- · Recommendation: Dispose of packaging according to regulations on the disposal of packagings.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport inform	SECTION 14: Transport information		
14.1 UN-Number ADR, IMDG, IATA	UN3175		
14.2 UN proper shipping name ADR IMDG, IATA	3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL)) SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL))		
14.3 Transport hazard class(es)			
ADR			
Class Label	<ul><li>4.1 (F1) Flammable solids, self-reactive substances and solid desensitised explosives.</li><li>4.1</li></ul>		
IMDG, IATA			
Class	<ul><li>4.1 Flammable solids, self-reactive substances an solid desensitised explosives.</li><li>4.1</li></ul>		
14.4 Packing group ADR, IMDG, IATA	II		
14.5 Environmental hazards: Marine pollutant:	Not applicable. No		
14.6 Special precautions for user	Warning: Flammable solids, self-reactive substances and solid desensitised explosives.		
Kemler Number: EMS Number: Stowage Category	40 F-A,S-I B		

(Contd. on page 8)

Printing date 17.03.2016 Version number 3 Revision: 17.03.2016

Trade name: IPA/DI

### impregnated cleaning wipes for cleaning stencils

	(Contd. from page
· 14.7 Transport in bulk according to A of Marpol and the IBC Code	nnex II  Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1 kg
· Excepted quantities (ÉQ)	Code: E2
, , , ,	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
· Transport category	2
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	1 kg
Excepted quantities (EQ)	Code: E2
= x = x = x = x = x = x = x = x = x = x	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
	. ,, , , , , , , , , , , , , , , , , ,
· UN "Model Regulation":	UN 3175 SOLIDS CONTAINING FLAMMABLE
	LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL
	ALCOHOL)), 4.1, II

# SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

propan-2-ol

· Hazard statements

H228 Flammable solid.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P261 Avoid breathing vapours.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell. P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

(Contd. on page 9)

Revision: 17.03.2016 Printing date 17.03.2016 Version number 3

Trade name: IPA/DI

## impregnated cleaning wipes for cleaning stencils

(Contd. from page 8)

· National regulations

#### · Information about limitation of use:

Employment restrictions concerning young persons must be observed.

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is contained.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

#### · Department issuing data specification sheet:

This Material Safety Data Sheet has been drawn up in cooperation with:

DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany,

phone: (+49) 511 42079 - 0, reach@dekra.com.

© DEKRA Assurance Services GmbH. Changing this documents is subject to explicit acceptance by DEKRA Assurance Services GmbH.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids, Hazard Category 2 Flam. Sol. 1: Flammable solids, Hazard Category 1

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

\* Data compared to the previous version altered.